

Scientific publications (selection)

- Stenlund TC, **Lundström R**, Lindroos O, Häger C, Burström L, Neely G, Rehn B (2015) Seated postural neck and trunk reactions to sideways perturbations with or without a cognitive task. *Journal of Electromyography and Kinesiology*, 25;548-556.
- Edlund M, **Lundström R**, Nilsson T, Hagberg M (2013) A prospective cohort study investigation an exposure-response relationship among vibration-exposed male workers with numbness of the hands. *Scand J Work Environ Health* 2014 Mar40(2):203-209.
- Edlund M, Burström L, Hagberg M, **Lundström R**, Nilsson T, Sandén H, Wastensson G (2014) Quantitatively measured tremor in hand-arm vibration exposed workers. *Int Arch Occup Environ Health*
- Stenlund T, Öhberg F, **Lundström R**, Lindroos O, Häger C, Rehn B (2014) Inter- and intra-tester reliability when measuring seated spinal postures with inertial sensors. *International Journal of Industrial Ergonomics*, 44 (2014) 732-738.
- Pettersson H, Burström L, Hagberg M, **Lundström R**, Nilsson T (2012) Risk of hearing loss among workers with vibration-induced white fingers. *American Journal of Industrial Medicine*. 57:1311-1318 (2014).
- Liljelind I, Pettersson H, Nilsson L, Wahlström J, Toomingas A, **Lundström R**, Burström L. Determinants explaining the variability in hand-arm vibration emissions during two different work tasks - grinding and cutting with angle grinders. *Annals of Occupational Hygiene*, May 2013.
- Öhberg, F, **Lundström R**, Grip H (2013) Precision and accuracy of angular motion in different lower body segments using inertial motion sensors and adaptive filtering. *Measurement, Science and Technology*. 24 (2013), pp. 1-12. Open Access.
- Gerhardsson L, Burström L, Hagberg M, **Lundström R**, Nilsson T (2013) Quantitative neurosensory findings, symptoms and signs in young vibration exposed workers. *Journal of Occupational Medicine and Toxicology* 2013;8:8 (Open Access).
- Hedlund M, Sojka P, **Lundström R**, Lindström B (2012) Better preserved torque-angle relationship during eccentric compared to concentric contractions in patients with stroke. *Isokinetics and Exercise Science* 20, 129-140.
- Olsson CJ, Hedlund M, Sojka P, **Lundström R**, Lindström B (2012) Increased prefrontal activity and reduced motor cortex activity during imagined eccentric compared to concentric muscle actions. *Frontiers in Human Neuroscience*, September 2012, Vol. 6, Article 255, pp. 1-8.
- Pettersson H, Burström L, Hagberg M, **Lundström R**, Nilsson T (2012) Noise and hand-arm vibration exposure in relation to the risk of hearing loss. *Noise and Health*, 2012, Volume 14:59, 159-165.
- Hedlund M, Sojka P, **Lundström R**, Lindström B (2012) Insufficient loading in stroke subjects during conventional resistance training. *Advances in Physiotherapy* 14(1): 18-28.
- Karlsson B-M, Lindkvist M, Lindkvist M, Karlsson M, **Lundström R**, Håkansson S, Wiklund U, van den Berg J (2012) Sound and vibration: effects on infants' heart rate and heart rate variability during neonatal transport. *Acta Paediatrica*, 101, pp. 148-154.
- Gerhardsson L, Burström L, Hagberg M, **Lundström R**, Nilsson T. Neurophysiologic symptoms and vibration thresholds in young vibration-exposed workers – a follow-up study. *Canadian Acoustics* 2011; 39 No 2; 16-17.
- Burström L, Hagberg M, Liljelind I, **Lundström R**, Nilsson T, Pettersson H, Wahlström J (2010) A follow-up study of welders' exposure to vibration in a heavy engineering production workshop. *Low Frequency Noise, Vibration and Active Control*, 29(1) 2010,33-39.
- Sandén H, Jonsson A, Wallin BG, Burström L, **Lundström R**, Nilsson T, Hagberg M (2010). Nerve conduction in relation to vibration exposure a non-positive study. *Journal of Occupational Medicine and Toxicology* 5:21 (Open access).
- Rehn B, Nilsson T, **Lundström R**, Hagberg M, Burström L (2009) Neck pain combined with arm pain among professional drivers of forest machines and the association with whole-body vibration exposure. *Ergonomics* 52(10), pp. 1240-1247.
- Burström, Hagberg M, **Lundström R**, Nilsson T (2009) Influence of vibration exposure on tactile and thermal perception thresholds. *Occupational Medicine Advance Access* published March 13, 2009 (doi:10.1093/occmed/kqp032).
- Burström L, **Lundström R**, Hagberg M, Nilsson T (2009) Vibrotactile perception and effects of short-term exposure to hand-arm vibration. *Annals of Occupational Hygiene*, 53(5):539-547 (doi:10.1093/annhyg/mep027).

- Cherniack M, Brammer AJ, **Lundström** R, Morse T, Neely G, Nilsson T, Peterson D, Toppila E, Warren N, Diva U, Croteau M, Dussetschleger J (2008) The effect of different warming methods on sensory nerve conduction velocity in shipyard workers occupationally exposed to hand-arm vibration. *Int Arch Occup Environ Health* 81(8):1045–1058.
- Hagberg M, Burström L, **Lundström** R, Nilsson T (2008) Incidence of Raynaud's phenomenon in relation to hand-arm vibration exposure among male workers at an engineering plant - a cohort study. *J Occup Med Tox* 2008, 3:13 (16 Jun 2008)
- Cherniack M, Brammer AJ, **Lundström** R, Morse TF, Neely G, Nilsson T, Peterson D, Toppila E, Warren N, Diva U, Croteau M, Dussetschleger J. (2008) The effect of different warming methods on sensory nerve conduction velocity in shipyard workers occupationally exposed to hand-arm vibration. *Int Arch Occup Environ Health* 81:661-669.
- Nilsson T, Burström L, Hagberg M, **Lundström** R (2008) Thermal perception thresholds among young adults exposed to hand-transmitted vibration. *Int Arch Occup Environ Health* 81:519-533.
- Wahlström J, Burström L, Hagberg M, **Lundström** R, Nilsson T (2008) Musculoskeletal symptoms and associations with exposure to hand-arm vibration and ergonomic stressors among young men. *Int Arch Occup Environ Health* 81:595-602.
- **Lundström** R, Nilsson T, Hagberg M & Burström L (2008). Grading of sensorineural disturbances according to a modified Stockholm workshop scale using self-reports and QST. *Int Arch Occup Environ Health* 81:553-557.
- Burström L, **Lundström** R, Sjödin F, Lindmark A, Lindkvist M, Hagberg M, Nilsson T (2007) Acute effects of vibration on thermal perception thresholds. *Int Arch Occup Environ Health* 81:603-611).
- Cherniack M, Brammer AJ, **Lundström** R, Meyer JD, Morse T, Neely G, Nilsson T, Peterson D, Toppila E, Warren N (2007) The Hand-Arm Vibration International Consortium (HAVIC): Prospective Studies on the Relationship Between Power Tool Exposure and Health Effects. *JOEM*:49(3);289-301.
- Mansfield NJ, Holmlund P, **Lundström** R, Lenzuni P, Nataletti P. Effect of vibration magnitude, vibration spectrum and muscle tension on apparent mass and cross axis transfer functions during whole-body vibration exposure. *J Biomechanics* 39 (2006):3062-3070.
- Burström L, Hagberg M, **Lundström** R, Nilsson T (2006) Relationship between hand-arm vibration exposure and onset time for symptoms in a heavy engineering production workshop. *Scand J Work Environ Health* 2006;32(3):198-203.
- Åström C, Rehn B, **Lundström** R, Nilsson T, Burström L, Sundelin G (2006) Hand-arm vibration syndrome (HAVS) and musculoskeletal symptoms in the neck and the upper limbs in professional drivers of terrain vehicles – A cross-sectional study. *Applied Ergonomics* 37 (2006) 793-799.
- Cherniack M, Brammer AJ, Nilsson T, **Lundström** R, Meyer JD, Morse TF, Neely G, Peterson D, Toppila E, Warren N, Atwood-Sanders M, Michalak-Turcotte C, Abbas U, Bruneau H, Croteau M, Fu R, (2004) Nerve Conduction and Sensorineural Function in Dental Hygienists Using High Frequency Ultrasound Handpieces. *American Journal of Industrial Medicine* 49:313-326.
- Cherniack M, Morse TF, Brammer AJ, **Lundström** R, Meyer JD, Nilsson T, Peterson D, Toppila E, Warren N, Fu R, Bruneau H, Croteau M (2004) Vibration Exposure and Disease in a Shipyard: A 13-year Revisit. *American Journal of Industrial Medicine* 45:500-512.
- Ljungberg J, Neely G, **Lundström** R (2002) Effects on spatial skills after exposure to low frequency noise. *Journal of Low Frequency Noise and Vibration* (2004) Vol 23, No. 1, 1-6.
- Järvholm B, **Lundström** R, Malchau H, Rehn B, Vingård E. Osteoarthritis in the hip and whole-body vibration. *Int Arch Occup Environ Health* (2004) 77:424-426.
- Cherniack M, Brammer AJ, **Lundström** R, Meyer J, Morse T, Neely G, Nilsson T, Peterson D, Toppila E, Warren N, Fu RW, Bruneau. Segmental nerve conduction velocity in vibration-exposed shipyard workers. *Int Arch Occup Environ Health* (2004) 77(3):159-176.
- Ljungberg J, Neely G, **Lundström** R. Cognitive performance and subjective experience during combined exposures to whole-body vibration and noise. *Int Arch Occup Environ Health* (2004) 77:217-221.
- Neely G, **Lundström** R, Björkvist B (2002) Sensation seeking and subjective unpleasantness ratings of stimulus intensity. *Perceptual and Motor Skills*, 2002, 95, 706-712.
- **Lundström** R (2002) Neurological diagnosis – aspects of quantitative sensory testing methodology in relation to hand-arm vibration syndrome. *Int Arch Occup Environ Health* (2002) 75:68-77
- Rehn B, Bergdahl IA, Ahlgren C, From C, Järvholm B, **Lundström** R, Nilsson T, Sundelin G, (2002) Musculoskeletal symptoms among drivers of all-terrain vehicles. *J Sound and Vibration* 253(1), 21-29.

- Rehn B, **Lundström R**, Nilsson T, Bergdahl IA, Ahlgren C, Sundelin G, From C, Järholm B. (2002) Musculoskeletal symptoms among drivers of all-terrain vehicles. *J Sound Vib* 253(1),21-29.
- Holmlund P, **Lundström R** (2001) Mechanical impedance of the sitting human body in single-axis compared to multi-axis whole-body vibration exposure. *Clinical Biomechanics* 16 Supplement No. 1 (2001) S101-S110.
- Nilsson T, **Lundström R** (2001) Quantitative thermal perception thresholds in relation to vibration exposure. *Occupational and Environmental Medicine*. 58(7),472-478.
- **Lundström R** (2000) Vibrotactile and thermal perception threshold measurements for diagnosis of sensory neuropathy. *Neuro Toxicology* 21(5):890.
- Burström L, **Lundström R**, Sörensson A (2000) Kunskapsunderlag för åtgärder mot skador och besvär i arbete med handhållna vibrerande maskiner – Tekniska aspekter. *Arbete och Hälsa* 17.
- Gemne G, **Lundström R** (2000) Kunskapsunderlag för åtgärder mot skador och besvär i arbete med handhållna vibrerande maskiner – Medicinska aspekter. *Arbete och Hälsa* 18.
- **Lundström R** (2000) Arbetsmiljörelaterade hand-arm och helkroppsvibrationer. I *Hälsa och miljö – en lärobok i arbets- och miljömedicin*. Edling C, Nordberg G, Nordberg M (Eds). Studentlitteratur, Lund 2000, 235-248.
- Holmlund P, **Lundström R**, Lindberg L (2000) Mechanical impedance of the human body in vertical direction. *Applied Ergonomics* 31(4), 415-422.
- Mansfield NJ, Holmlund P, **Lundström R**. (2000) Comparison of subjective responses to vibration and shock with standard analysis methods and absorbed power. *Journal of Sound and Vibration* 230(3), 477-491.
- Mansfield NJ, **Lundström R** (1999) Models of the apparent mass of the seated human body exposed to horizontal whole-body vibration. *Aviation, Space and Environmental Medicine* 70(12):1166-1172.
- Mansfield NJ, **Lundström R** (1999) The apparent mass of the human body exposed to non-orthogonal horizontal vibration. *Journal of Biomechanics* 32:1269-1278.
- **Lundström R** (1999) Swedish contribution to European Network Activities on Detection and Prevention of Injuries due to Occupational Vibration Exposures. *American Journal of Industrial Medicine Supplement* 1:98-100.
- **Lundström R**, Nilsson T, Burström B, Hagberg M (1999) Exposure-response relationship between hand-arm vibration and reduction in vibrotactile perception sensitivity. *American Journal of Industrial Medicine* 35(5),456-464.
- Toomingas A, Nilsson T, Hagberg M, **Lundström R** (1999) Predictive aspects of the abduction external rotation test among male industrial and office workers. *American Journal of Industrial Medicine* 35:32-42.
- Holmlund P, **Lundström R**. (1998) Mechanical impedance of the human body in the horizontal direction. *Journal of Sound and Vibration* 215(4), 801-812.
- **Lundström R**, Holmlund P (1998) Absorption of energy during whole-body vibration exposure. *Journal of Sound and Vibration* 215(4), 789-799.
- Burström L, **Lundström R** (1998) Portable equipment for field measurement of the hand's absorption of vibration energy. *Safety Science* Vol. 28, No. 1, pp 15-20.
- Burström L, **Lundström R**, Hagberg M, Nilsson T (1998) Comparison of different measures for hand-arm vibration exposure. *Safety Science* Vol. 28, No. 1, pp 3-14.
- **Lundström R**, Holmlund P, Lindberg L (1997) Absorption of energy during vertical whole-body vibration exposure. *Journal of Biomechanics* 31, 317-326.
- Wenemark M, **Lundström R**, Hagberg M, Nilsson T (1996) Vibrotactile perception thresholds as determined by two different devices in a working population. *Scand J Work Environ Health* 26, 204-210.
- Nilsson T, **Lundström R**, Burström L, Hagberg M (1995) Assessment of heat pain perception in relation to vibration exposure. *Centr Eur J Publ Hlth* 3 (Suppl), 70-72.
- Necking LE, **Lundström R**, Dahlin LB, Lundborg G, Thornell LE, Fridén J. (1996) Tissue displacement is a causative factor in vibration muscle injury. *J Hand Surg* 21B(6), 753-757.
- **Lundström R**, Nilsson T, Burström L, Hagberg M. (1995) Vibrotactile perception sensibility and its relation to hand-arm vibration exposure. *Centr Eur J Publ Hlth* 3 (Suppl), 62-65.
- Burström L, **Lundström R**, Hagberg M, Nilsson T. (1996) Comparison of different methods for vibration measurements on hand-held tools. *Centr Eur J Publ Hlth* 4(1), 76-78.
- Gemne G, **Lundström R** (1996) Evaluation of the white finger risk prediction model in ISO 5349 suggests need for prospective studies. *Centr eur J Publ Health* 4(2), 137-139.

- Necking LE, **Lundström R**, Lundborg G, Thornell LE, Fridén J (1996) Skeletal muscle changes after short-term vibration. *Scand J Plast Reconstr Hand Surg* 30, 99-103.
- Gemne G, **Lundström R**, Hansson J.-E. (1993) Disorders induced by work with hand-held vibrating tools. A review of current knowledge for criteria documentation. *Arbete och Hälsa* 6, 1-83.
- Sörensson A, **Lundström R**. (1992) Transmission of vibration to the hand. *Journal of Low Frequency Noise and Vibration* 11(1), 14-22.
- Jacobsson B, Nordström B, **Lundström R** (1992) Vibrating hand-held machines in the construction industry. *Safety Science* 15, 367-373.
- Lundborg G., Dahlin LB., **Lundström R.**, Necking LE., Strömberg T. (1992) Vibrotactile function of the hand in compression and vibration-induced neuropathy. Sensibility index - a new measure. *Scand J Plast Reconstr Hand Surg.*26, 275-279.
- Necking LE, Dahlin LB, Fridén J, Lundborg G, **Lundström R**, Thornell LE. (1992) Vibration induced muscle injury. An experimental model and preliminary findings. *Journal of Hand Surgery* 17B, 270-274.
- **Lundström R.**, Strömberg T., Lundborg G. (1992) Vibrotactile perception threshold measurements for diagnosis of sensory neuropathy. Description of a reference population. *Int Arch Occup Health* 64, 201-207.
- Dahlin LB, Necking LE, **Lundström R**, Lundborg G. (1990) Vibration exposure and conditioning lesion effect in nerves. An experimental study in rats. *Journal of Hand Surgery* 17A(5), 858-861.
- Burström R, **Lundström R**. (1990) Absorption of vibration energy in the human hand and arm. *Ergonomics* 37(5), 879-890.
- **Lundström R**, Landström U, Kjellberg A. (1990) Combined effects of low-frequency noise and whole-body vibration on wakefulness, annoyance and performance. *Archives of Complex Environmental Studies*, 2(3), 1-7.
- **Lundström R**, Burström L. (1989) Mechanical impedance of the human hand-arm system. *International Journal of Industrial Ergonomics*, 3, 235-242.
- Burström L, **Lundström R**. (1988) Mechanical energy absorption in human hand-arm exposed to sinusoidal vibration. *Int. Arch. Occup. Environ. Health*, 63, 213-216.
- **Lundström R**. (1986) Absorption of mechanical energy in the skin of the human hand while exposed to vibrations. *Journal of Low Frequency Noise and Vibration*, Vol. 5(3), 113-120
- Lundström R, Johansson RS. (1986) Acute impairment of the sensitivity of skin mechanoreceptive units caused by vibration exposure of the hand. *Ergonomics*, 29(5), 687-698.
- **Lundström R**. (1986) Responses of mechanoreceptive afferent units in the glabrous skin of the human hand to vibration. *Scandinavian Journal of Work, Environment & Health*, 12, 413-416.
- Landström U, **Lundström R**. (1985) Changes in wakefulness during exposition to whole body vibration. *Electroencephalography and Clinical Neurophysiology*. 61, 411-415.
- **Lundström R**. (1985) Effects of local vibration transmitted from ultrasonic devices on vibrotactile perception in the hands of therapists. *Ergonomics*, 28(5), 793-803.
- **Lundström R**. (1985) Vibration exposure of the glabrous skin of the human hand. Umeå University Medical Dissertations, New Series No 136, 1-47.
- **Lundström R**. (1984) Vibrotactile sensitivity of the human hand's glabrous skin. *Journal of Low Frequency Noise and Vibration*, 3(2), 88-95.
- **Lundström R**. (1984) Local vibrations - Mechanical impedance of the human hand's glabrous skin. *Journal of Biomechanics*. 17(2), 137-144.
- Landström U, **Lundström R**, Byström M. (1983) Exposure to infrasound - Perception and changes in wakefulness. *Journal of Low Frequency Noise and Vibration*. 2(1), 1-11.
- **Lundström R**, Lindmark A. (1982) Effects of local vibration on tactile perception in the hands of dentists. *Journal of Low Frequency Noise and Vibration*, 1(1), 1-11.
- Johansson RS, Landström U, **Lundström R**. (1982) Responses of mechanoreceptive afferent units in the glabrous skin of the human hand to sinusoidal skin displacement. *Brain Research*, 244, 17-25.
- Johansson RS, Landström U, **Lundström R**. (1982) Sensitivity to edges of mechanoreceptive afferent units innervating the glabrous skin of the human hand. *Brain Research*, 244, 27-32.